

## Electrical Conditions

1. All equipment regardless of source of power must comply with the National Electrical Code, and all Federal, State, and Local Safety Codes.
2. Use of open clip sockets, latex or lamp cord wire, unapproved duplex or triplex attachment plugs in exhibits is prohibited.
3. Permanent building electrical outlets are not a part of booth space and are not to be used by exhibitors.
4. Under NO circumstances shall anyone other than an OCCC electrician make electrical connections to house equipment.
5. Special equipment requiring company engineers or technicians for assembly, servicing, preparatory work, and operation may be executed without a house electrician; however, all service connections and overload protection to such equipment must be made by a house electrician only.
6. All equipment must be properly tagged or marked with complete information as to the type and/or amount of current, voltage, phase, frequency, horsepower, etc. required.
7. All material and equipment furnished by the OCCC shall remain the property of the OCCC and shall be removed ONLY by the OCCC at the close of the show.
8. Unless otherwise directed, OCCC electricians are authorized to cut floor coverings to permit installation of service.
9. All 120V cords must be of the 3 wire, grounded type. All exposed non-current carrying metal parts of fixed equipment, which are liable to be energized, shall be grounded.
10. The OCCC reserves the right to refuse connection to any exhibitor whose equipment is deemed unsafe by the OCCC.
11. Orders received during the incentive period will receive priority over base or on-site orders.
12. The exhibitor releases, waives and holds harmless the OCCC, its officers, employees and agents for any liability, claims, and damages arising out of any of the services or equipment provided herein. The exhibitor shall indemnify the OCCC for any bodily injury or property damage resulting from any negligent act or omission of the exhibitor, its officer, employees or agents.
13. Obstructions blocking utility floor boxes are subject to relocation as necessary.
14. The OCCC will charge time and materials for exhibitor or appointed contractor installed cords, which require troubleshooting and/or redistribution.
15. All electrical services are to be billed to the next greatest wattage or amperage (i.e. 15amp 208v single phase = 20amp 208v single phase).
16. The OCCC does not provide distribution panels. If an exhibitor orders "bulk power", the OCCC will not provide distribution panels to the exhibitor; they must provide their own.

## Plumbing & Gases Conditions

1. Plumbing services are only available from the floor.
2. Compressed air pressure may vary. No guarantee can be made of minimum and maximum pressure. If pressure is critical, please contact Exhibitor Services at (407) 685-9824.
3. The OCCC will not branch/split gas from one location to another to achieve multiple locations. The OCCC is not responsible for gas distribution installed by others.
4. All gas will be removed or shut off one hour after the close of each day. LP gas prices include hook-up and dismantle of tank each day.
5. Labor charges will apply for service calls.
6. All equipment must comply with the Southern Building Code, all Federal, State, and local safety codes.
7. All material and equipment furnished by the OCCC shall remain the property of the OCCC and shall be removed ONLY by the OCCC at the close of show.
8. Unless otherwise directed, OCCC personnel are authorized to cut floor coverings to permit installation of service.

## Additional Exhibitor Conditions

1. Claims will not be considered unless filed by the exhibitor at the OCCC Service Desk prior to the close of the show.
2. Freight deliveries, including, but not limited to: UPS, FedEx, RPS, GPS, etc. will not be accepted by the OCCC. Most carriers will not deliver to individual booths. Refer to your exhibitor manual or ask your show management for proper drayage instructions.
3. Adhesive-backed decals (stick-on) or similar items (except nametags) may not be distributed or used in the OCCC.
4. Decorations, signs, banners, etc., may not be taped, nailed, tacked, stapled or otherwise fastened to ceilings, walls, doors, windows, painted surfaces, or columns by exhibitors or their designee.
5. Cooking permits must be obtained from your exhibitor manual or show management, completed and accepted by the OCCC prior to any cooking activity. A 2A40 B.C. fire extinguisher must be in the booth, no more than thirty (30) feet from each cooking device. Exhibitor shall comply with all Orange County Health Department rules and regulations. Exhibits involving cooking or food preparation must provide a clean-up area or use those provided by show management. Disposal of cooking residue into the OCCC's drainage system is prohibited. Holding tanks for disposal of cooking residue (oil, grease, etc.) are required.
6. "Day tanks" of bottled gas may be used, during show hours, for cooking or demonstration purposes. Tanks must have a release valve and be removed from the OCCC, daily, at the close of event. At no time can tanks be stored in the OCCC. A 2A40 B.C. fire extinguisher must be in the booth, no more than thirty (30) feet from each cooking device.
7. Exhibits or displays, equipment, stock or supplies will not be allowed to enter or leave by way of the front entrances of the OCCC.
8. Fog, smoke and special effect equipment is restricted to water based chemicals. Approval must be obtained from show management and the Orange County Fire Rescue Services Department through OCCC Event Coordination. Fog, smoke and special effect equipment must not be operated in areas where the effect could enter adjacent spaces, e.g., exhibition hall entrances, concourses, etc.
9. Food and beverages are not permitted on premises unless purchased through the OCCC's Food Service Partners or as an approved exhibit by the legal manufacturer and/or distributor. Food or beverages may not be brought in or delivered to the OCCC for personal consumption. Exhibitors planning to distribute food and beverages, whether manufacturer or distributor, must make advance arrangements with the OCCC's Food Service Partners.
10. Hazardous Work Areas - During move-in and move-out, exhibition halls, loading docks, truck staging areas and service corridors are considered hazardous work areas. Alcoholic beverages, possession or use of controlled substances of any kind, horseplay, practical jokes, etc. are prohibited. Speeding or reckless use of vehicles or equipment is prohibited. Music or noise that may limit the audibility of back-up signals, fire alarms or emergency messages is prohibited. Children under 16 years of age are prohibited.
11. Holes may not be drilled, cored, or punched into any surfaces of the OCCC.
12. Multi-level and/or Covered Exhibits require firewatch personnel or an automatic extinguishing system and submittal of scaled, stamped plans. Guidelines are available through your exhibitor manual, show management or OCCC Event Management. Exhibitor will be charged for firewatch personnel per Orange County's fee schedules.
13. Painting signs, exhibits or other objects is not permitted in the OCCC.
14. Permits are required for booths and/or exhibitor activity that includes cooking, pyrotechnic, tent, welding or cutting and multi-level or covered booths or other potentially dangerous hazards. Each situation must be individually approved. Permit information may be obtained from your exhibitor manual, show management, or OCCC Event Coordination.
15. In compliance with the Florida Clean Air Act, Florida Statutes Sections 386.205 and 386.206, smoking is not permitted on any parts of the OCCC campus.
16. Static helium balloon displays are permitted after filing a Balloons Agreement with OCCC Exhibitor Services department. Helium balloons may not be used as giveaways. Helium tank storage inside the OCCC is prohibited.
17. Tape used on exhibition hall floors must be low residue resistant carpet tape (Polyken 105C or Renfrew #147) and low residue safety tape (Asiachem SST-736 or approved equivalent). All tape must be removed from the floor and disposed of immediately after the event.
18. Vehicles that remain in the exhibition hall as part of a display must have the battery cables disconnected. The gas tank must either be taped shut or have a lockable gas cap and may contain no more than one-fourth (1/4) tank or 10 (ten) gallons of fuel, whichever is less.

Exhibitors need to provide their own UL-Certified plug(s) for connecting equipment to the OCCC's electrical receptacle. If an exhibitor's electrical plug does not match the OCCC's electrical receptacle, the exhibitor will need a UL-Certified Connection Plug to connect to the OCCC's receptacle. If an exhibitor does not provide their own UL-Certified Connection Plug, the exhibitor must rent a UL-Certified Connection Plug from the OCCC for an additional charge. Exhibitors are responsible for leaving all rented UL-Certified Connection Plugs in their booth at the close of the event. **All missing plugs will result in a \$150 charge.** Below is a description of the type of electrical receptacles the OCCC's supplies based on amperage.

**20 Amp Single Phase** - two hots, neutral and ground

OCCC Receptacles for 208V: **NEMA L21-20R**

Plug Needed for 208V: **NEMA L21-20P**

OCCC Receptacles for 277/480V: **NEMA L22-20R**

Plug Needed for 277/480V: **NEMA L22-20P**



**20 Amp Three Phase** - three hots, neutral and ground

OCCC Receptacles for 208V: **NEMA L21-20R**

Plug Needed for 208V: **NEMA L21-20P**

OCCC Receptacles for 277/480V: **NEMA L22-20R**

Plug Needed for 277/480V: **NEMA L22-20P**

**30 Amp Single Phase** - two hots, neutral and ground

OCCC Receptacles for 208V: **NEMA L21-30R**

Plug Needed for 208V: **NEMA L21-30P**

OCCC Receptacles for 277/480V: **L22-30R**

Plug Needed for 277/480V: **NEMA L22-30P**



**30 Amp Three Phase** - three hots, neutral and ground

OCCC Receptacles for 208V: **NEMA L21-30R**

Plug Needed for 208V: **NEMA L21-30P**

OCCC Receptacles for 277/480V: **L22-30R**

Plug Needed for 277/480V: **NEMA L22-30P**

**60 Amp Single Phase** - two hots, neutral and ground

OCCC Receptacles for 208V: **Hubbell 560P9W**

OCCC Receptacles for 277/480V: **Hubbell 560P7W**

**60 Amp Three Phase** - three hots, neutral and ground

OCCC Receptacles for 208V: **Hubbell 560P9W**

OCCC Receptacles for 277/480V: **Hubbell 560P7W**



**100 Amp Single Phase** - two hots, neutral and ground

OCCC Receptacles for 208V: **Hubbell 5100P9W**

OCCC Receptacles for 277/480V: **Hubbell 5100P7W**

**100 Amp Three Phase** - three hots, neutral and ground

OCCC Receptacles for 208V: **Hubbell 5100P9W**

OCCC Receptacles for 277/480V: **Hubbell 5100P7W**

**Rental Price: \$98.00 (\$92.02 + \$5.98 tax)**

**150 - 200 Amp Single Phase** - two hots, neutral and a ground.

OCCC Receptacles for 208/480V: **Camlock (2/0)**

**150 - 200 Amp Three Phase** - three hots, neutral and a ground.

OCCC Receptacles for 208/480V: **Camlock (2/0)**

**Rental Price: \$176.00 (\$165.26 + \$10.74 tax)**

**200 - 400 Amp Single Phase** - two hots, neutral and a ground.

OCCC Receptacles for 280/480V: **Camlock (4/0)**

**200 - 400 Amp Three Phase** - three hots, neutral and a ground.

OCCC Receptacles for 208/480V: **Camlock (4/0)**

**Rental Price: \$195.00 (\$183.10 + \$11.90 tax)**



The OCCC is the exclusive aerial rigging service provider for exhibitors. In order for the OCCC to provide the best possible service to our clients, the following aerial rigging guidelines are applicable to all exhibitors and/or exhibitor appointed contractors (EACs). The OCCC's Rigging department can be reached by phone (407) 685-5555 to assist with any questions in regards to aerial rigging.

1. The OCCC is the exclusive provider of aerial rigging services.
2. All rigging must conform to Show Management rules, regulations, and facility limitations.
3. The use of any type of tape/adhesive for attaching signs, banners, or decorations to the building, walls, or decorative surfaces is not permitted.
4. All equipment, signs, products, etc. must be designed to suspend safely and in an appropriate condition to be suspended. A structural engineer's certification or seal of approval may be required under certain conditions.
5. All hardware is required to have a working load limit (WLL). Use only rated rigging hardware when constructing your sign. All hardware and equipment must be approved by the manufacturer for overhead suspension.
6. Rigging plots, drawings, blueprints or engineers certification (when requested) must be submitted to the OCCC Rigging department a MINIMUM of THREE WEEKS in advance of the first move-in day for your show and must include the location, the dimensions, the height above the floor to the top, and the weight of the suspended item. They must also show booth outline with aisles marked for reference.
7. All points where nylon slings are used will require a steel safety cable.
8. All assembly of equipment, signs, products, etc., is the responsibility of the exhibitor or exhibitor appointed contractor.
9. Any equipment, signs, products, etc. deemed to be unsafe for overhead suspension by the Orange County Convention Center Rigging Services Department will not be allowed. All signage is subject to on-site inspection for final approval.
10. A credit card must be placed on file with the Method of Payment form for any additional charges.
11. The OCCC does not accept purchase orders.
12. Actual time and date of rigging may vary during move-in and move-out of your show in order to reduce costs to you.
13. All orders for rigging will be handled in the order in which the paper work is signed off at the OCCC Exhibitor Services desk or at the discretion of the OCCC Rigging department.
14. If you are not flexible and need a DEFINITIVE DATE AND TIME, you need to order a Dedicated Rigging Team. The exhibitor will be charged a minimum of 4 hours up and 4 hours down times the number of riggers needed.
15. The OCCC is not responsible for any rigging items (banners, signs, etc.) left in the booth during move-out if the exhibitor is not present.

#### Seams:


1. When using cloth material, seams need to be double stitched on the top and bottom.
2. Heat Seam is ONLY acceptable when hanging lightweight vinyl drape.
3. If the vinyl drape to be used as a drop down for a sign or banner, which would include a bottom batten to attach the foam core, sintra, or cloth/vinyl banner, the OCCC requires double stitching on the vinyl drape due to weight considerations and possible failure of the heat seam.

#### Adhesive:

1. Adhesive or glue tape is not acceptable due to the tendency of it to come loose under weight.
2. The use of any type of adhesive for attaching signs, banners, or decorations to the building walls or decorative surfaces (inside or outside) is NOT PERMITTED.

#### Hardware:

1. The manufacturer must rate all rigging hardware with a "Working Load Limit" (WLL).
2. The manufacturer of the rigging hardware must be legally liable for its products in the continental United States.
3. All wire rope slings 3/8" and larger must be certified and proof-tested (tested to twice its working load limit).
4. Flemish eye construction is preferred for all wire rope slings 3/8" and larger.
5. The OCCC Rigging department reserves the right to substitute hardware on a case-by-case basis at its discretion.



## Cooking Information

A Cooking/Open Flame Agreement form must be obtained prior to any on-site cooking, and/or food warming activities on the premises. Cooking/Open Flame Agreement forms can be obtained via the OCCC Exhibitor Services division, which are then submitted for review and approval by the Orange County Fire Marshal's office.

The use of cooking appliances must be disclosed on the Cooking/Open Flame Agreement form. Each exhibit using cooking or food warming devices may be subject to an individual inspection. Cooking devices must be separated from the public by at least four feet, or by a substantial barrier between the devices and the public. In addition, a K-Class fire extinguisher must be in the cooking location, within thirty (30) feet of fryers and a 2A40BC fire extinguisher must be within thirty (30) feet of all cooking appliances. All fire extinguishers must be properly charged and tagged by a licensed fire extinguisher contractor.

Events involving cooking or food preparation must provide an appropriate number of utensil clean-up areas. Disposal of cooking residue into the OCCC drainage system is prohibited. Lessee shall provide holding tanks for disposal of all cooking residue (oil, grease, etc.) The OCCC has grease barrels and portable sink units available at the prevailing rates. Lessee shall also comply with all Orange County Health Department rules and regulations.

## Permitted Cooking Appliances Must Meet The Following Conditions:

- Equipment fueled by small heat sources (such as sterno).
- Flaming sword or other equipment involving open flames and flaming dishes provided that precautions (subject to the approval of the Orange County Fire Marshal) are taken. Prior approval from the Orange County Fire Marshal is required.
- Portable butane-fueled appliances (listed and approved for commercial use) with a maximum of two 10 oz. non-refillable containers. **Please Note:** The containers must be connected directly to the appliance. Manifolding of the cylinders is not permitted. The maximum number of stored butane containers is limited to 24. Prior approval from the Orange County Fire Marshal is required.
- Listed and approved ventless self-contained exhaust systems with an automatic suppression system that complies with NFPA 96 *Standard for Ventilation Control and Fire Protection of Commercial Cooking Operations*. Prior approval from the Orange County Fire Marshal is required.
- Cooking Appliances that Require Automatic Suppression and/or Flue Connection:
  - Fryers
  - Grills, Ranges, Griddles, Broilers, Chain-broilers
  - Ovens

Please Note: A firewatch may be provided in lieu of automatic suppression and/or flue connection with prior approval from the Orange County Fire Marshal.

## Covered Booth Guidelines (Less than 300 Square Feet)

Please See Multi Level Guidelines Information Sheet

## Facility Emergency Equipment

- Fire fighting and emergency equipment may not be hidden or obstructed, including fire extinguishers, strobes, fire hose cabinets and standpipes.
- All emergency exits, hallways and aisles leading from the OCCC must be kept clear and unobstructed.
- Fire lanes must be maintained at all times on the loading dock.

## Flame Resistance Information

- All woodwork, stage scenery, furnishings, decorations and sets used upon a working permanent or temporary stage, or within an exhibit, shall be coated or treated by approved methods to render them flame resistant.
- All fabrics, films, draperies, curtains and similar furnishings must be flame resistant as demonstrated by testing in accordance with NFPA 701 Standard Methods of Fire Tests for Flame Propagation of Textiles and Films.
- Acoustical and decorative material including, but not limited to, cotton, foamed plastic, hay, paper, straw, wood chips, mulch, split bamboo and thatch must be treated with a flame-retardant.
- The use of Styrofoam products for set construction is not permitted.
- Documentation of flame resistance must be available for review upon request. Additional flame retardant treatments shall be applied in accordance with the appropriate product direction.

## Gas Information

- The Exhibitor shall not bring upon the premises any exhibit, equipment or vehicle that, in the judgment of the OCCC, would be, or might be, dangerous to persons or property or otherwise incompatible with the structure, systems and furnishings. Hazardous chemicals and materials, including, but not limited to, pesticides, herbicides, poisons, flammable and combustible liquids, hazardous gases, pressure cylinders and tanks, and hazardous chemicals (including oxidizers) are prohibited inside the OCCC.
- Gasoline, kerosene, diesel fuel, combustible gases and other flammable liquids may not be stored (permanently or temporarily) in the OCCC during an event or its move-in and move-out activities.

### **Gas - Compressed/Inert**

- Compressed inert gases may be used provided the vessels are stored in a safe manner and the OCCC Event Management department has been notified regarding their intended use and preferred storage location. Demonstrations involving inert gases must comply with all federal and local regulations.

### **Inert Gas Cylinders**

- Compressed gas cylinders may not be stored on dock areas or the exhibit floor during “move-in” or “move-out”.
- Compressed inert gas cylinders may be located in an exhibit space after “move-in” is complete. Cylinders must be properly secured at all times.
- Introduction of all other compressed liquids and gases into the building is prohibited without prior approval from the Fire Marshal.

### **Gas – Natural**

- Equipment utilizing natural gas shall be installed in accordance with NFPA 54, Natural Fuel Gas Code.
- Supply lines will be turned on approximately one (1) hour prior to posted show hours and shut off one (1) hour after the end of each show day, by OCCC Event Utilities staff.
- A ceiling (rigging) drop is required for natural gas orders in exhibit halls. Exhibitor fee information and ordering information can be obtained from the Exhibitor Services division or via our website @ [www.occc.net/exhibitor](http://www.occc.net/exhibitor). **Please Note:** Exhibitors placing natural gas orders are to provide a “Service Placement Plot” drawing depicting exact placement of the requested line drop.

### **Gas – Liquid Petroleum (LP)**

- Non-refillable cylinders with a capacity of nominal 1 lb.
- The use of portable butane fueled appliances listed for commercial use, up to maximum of (2) 10 oz. containers, is permitted with prior approval of the Fire Marshal.
- The use of nominal 5 lb. Liquid Petroleum containers, when installed in the OCCC by the Event Utilities division, is permitted with prior approval from the Fire Marshal. A mandatory fire watch is required.
- Multiple nominal 5 lb. Liquid Petroleum containers, when installed in the OCCC, must be separated by a minimum of 20 feet. Storage of the Liquid Petroleum product must comply with NFPA 58 Liquefied Petroleum Gas Code. A mandatory fire watch is required.
- All Liquid Petroleum must be removed from the display area at the immediate close of show hours.
- Any other Liquid Petroleum product not listed above is strictly prohibited.

### **Gas – Storage**

- Gasoline, kerosene, diesel fuel, combustible gases (cylinders) or other flammable liquids may not be stored (permanently or temporarily) within the OCCC facility, or on dock areas, during an event or its move-in and move-out.

## Hazardous Chemicals

- The Exhibitor shall not bring upon the premises any exhibit, equipment or vehicle that, in the judgment of the OCCC, would be, or might be, dangerous to persons or property, or otherwise incompatible with the structure, systems and furnishings of the building. Hazardous chemicals and materials, including, but not limited to, pesticides, herbicides, poisons, flammable and combustible liquids, hazardous gases, pressure cylinders and tanks, and hazardous chemicals (including oxidizers) are prohibited inside the OCCC.
- The Exhibitor is responsible for the removal of all hazardous waste and must comply with all applicable federal, state and local regulations. Hazardous waste includes materials that are ignitable, corrosive, reactive, toxic or a biohazard (as defined under 40 CFR 261 subpart C and D). If materials are questionable, contact OCCC Exhibitor Services for more information. Costs or applicable administrative expenses incurred by the OCCC for the removal of hazardous waste left in, or about, the OCCC will be assessed to the Exhibitor.

## **Multi-Level Exhibits & Covered Booths Over 300 Square Feet**

Please See Multi Level Guidelines Information Sheet

## **Open Flame, Pyrotechnics and Special Effects**

### **Open Flame**

- Open Flame and Flame Effects must comply with NFPA 160 – Standard for Flame Effects Before An Audience.
- Depending on the intended use of an open flame product, a Special Effects permit may be required. Consult the OCCC Exhibitor Services department for further information and approval by the Orange County Fire Rescue Department.
- A demonstration of the open flame device may be required at the discretion of the Orange County Fire Marshal, while on OCCC premises.
- Depending on the intended use of an open flame product and the demonstration of an open flame device, a fire watch may be required.

### **Candles**

- All candle flames must be enclosed and protected at all times.
- Candles may be used on tables if securely supported on a substantial noncombustible base and located in a position to avoid danger of ignition of combustible material.
- The OCCC Exhibit Services division and Orange County Fire Rescue must be notified in advance on the intended use of candles and candle product.

### **Pyrotechnics**

- Pyrotechnics must comply with NFPA 1126 Standard for the Use of Pyrotechnics Before a Proximate Audience.
- A pyrotechnics permit is required. (Consult the OCCC Exhibitor Services division for further information and approval by the Orange County Fire Rescue Department.)
- A demonstration of the pyrotechnics display may be required at the discretion of the Orange County Fire Marshal.
- A mandatory fire watch will be required. A fire engine stand-by may be required, per the discretion of the Orange County Fire Marshal's office.

### **Special Effects – Fog & Hazers**

- The use of fog and haze machines for lighting and theatrical effects is permitted within the OCCC, provided 1) The Exhibitor Services Coordinator be notified, and 2) The fog/haze fluid used in those machines is water-based. The use of non-water-based fog/haze fluid, specifically with an oil-based composition, is prohibited. A firewatch is required with all fog and haze.
- Orange County Fire Rescue guidelines will apply to the use of fog and haze machines and their interactions with OCCC building safety devices and/or detectors. Please consult the OCCC Exhibitor Services division for additional information regarding the use of fog and haze machines within the facility.

### **Special Effects - Lasers**

- Lasers must comply with Florida Administrative Code Chapter 64E-4 Control of Nonionizing Radiation Hazards, NFPA 115 – Standard for Laser Fire Protection, and Florida Department of Health, State Bureau of Radiation regulations.
- A Laser Permit from Orange County Fire Rescue Department is required. In order to apply for this permit, the requestor must provide information about the proposed laser light show that includes classification of the lasers; sketches indicating the location of the lasers, operators, performers, viewers, beam paths, viewing screens, walls, mirror balls and other reflective or diffuse surfaces which may be struck by any and all laser beams, including scanning beam patterns, scanning velocity and frequency in occupied areas.
- For open-air shows where a laser beam is projected into the sky, requestor must submit basic beam information of intended laser use and a copy of the notification provided to the Federal Aviation Administration.
- All lasers must be registered with the Florida Department of Health, State Bureau of Radiation. A separate registration is required for each location of intended use. Out-of-state lasers brought into the state for temporary use require notification to the Florida Dept. of Health, State Bureau of Radiation.
- The Laser Safety Officer must establish and supervise a program of laser radiation safety for compliance with all applicable rules.
- Laser system users and staff must be trained on fire safety features prior to the lasers first use and at least annually thereafter.
- Staff members must be trained in the use of portable fire extinguishers.
- All training must be documented and available for review.

## Permit Overview/Including Cooking Information

Special permits or notices are required for event activities and exhibits that involve cooking, pyrotechnics, tents, multi-level or covered exhibits, and/or potentially hazardous situations. Appropriate permit applications or notices for the following activities must be made to the Office of the Fire Marshal, at least twenty-one (21) days prior to the event move-in:

- The display and operation of **any unusual electrical, mechanical or chemical device that may present a hazard**. The device, its application and the operation must be approved the Fire Marshal.
- The display or operation of **any heater, barbecue, open flame, candles, lamps, torches, etc.**
- The use or storage of **flammable liquids, compressed gasses or dangerous chemicals** as determined by the Fire Marshal.
- The display or operation of a **laser**. A permit is required from Orange County Fire Rescue Department. Proper notification to the Florida State Bureau of Radiation is required. (See previous page for laser regulations and restrictions.)
- Any **pyrotechnics, fireworks or special effects** display or process.
- Any **unusual use of a motorized vehicle** inside an enclosed structure.
- Any special **cooking** requirements, including cooking inside of ballrooms, convention areas and/or display areas.
- **Multi-level exhibit booths**.
- **Tents or covered exhibits in excess of 300 square feet** erected inside the host facility.
- **Tents erected OUTSIDE** the OCCC building premises will require a permit issued by the Orange County Building Department.

## Vehicles

- The show's security provider must conduct a mandatory vehicle inspection of each vehicle, prior to their entry into the exhibit hall.
- All fuel tank openings shall be locked and sealed to prevent escape of vapors. Fuel tanks may not contain more than one-quarter (1/4) capacity or ten (10) gallons of fuel whichever is less.
- At least one battery cable must be removed from the battery used to start the vehicle engine. The disconnected battery cable must be taped.
- Battery charging is not permitted in the exhibit hall, at any time.
- Converters may not be used in lieu of a battery to power the ignition source.
- Batteries used to power auxiliary equipment are permitted to be kept in service.
- Fueling or de-fueling of vehicles is prohibited.
- Vehicles may not be moved during show hours, unless the OCFR Fire Marshal approves the movement in advance and a Fire Watch is in place.
- Motor Homes, boats and similar exhibited products with over 100 sq. ft. of covered area must be protected with a listed smoke alarm.

## Welding

- Welding and/or cutting equipment is prohibited in the OCCC except as part of an exhibit and must be approved by the Orange County Fire Rescue Services Department through the OCCC Event Services division.